

INDEX MAPS.

T. 16 N. R. 10 E. 2nd Mer.

324	6	348	5	341	4	337	3	333	2	329	1	322
	347		347		341		337		332		328	
324	7	347	8	340	9	336	10	332	11	328	12	322
	346		346		340		336		332		328	
324	18	345	17	340	16	335	15	331	14	327	13	321
	345		344		339		335		331		327	
323	19	344	20	339	21	335	22	331	23	326	24	321
	344		343		339		334		330		326	
323	30	343	29	338	28	334	27	330	26	325	25	321
	343		342		338		333		330		325	
323	31	342	32	337	33	333	34	329	35	325	36	321
	320		320		320		319		319		319	

T. 3 N. R. 11 E. 2nd Mer.

353	6	353	5	351	4	3	2	351	1	352
353	7	8	9	10	11	12				
353	18	17	16	15	14	13				
353	19	20	21	22	23	24				
353	30	29	28	27	26	25				
353	31	32	33	34	35	36				

Ohio R.

Meanders 354

Township N. 16 North, Range N. 10 East 2. Mer Ind. ³¹⁹
ch. 1/2

South Boundary

West On S. boundary of Sec. 36
23.50 a Creek 50 lks wide Course S.
40.00 Let gr. Sec. post, from which
a Beech 14 m. dia. bray N 72 E 25 lks. dist. of
an Ash 12 " " " S 11 W 32 " "
61.00 a Span. Oak - in dia.
80.00 Let post Cor. to Sec. 35 of 36, from which
a Sugar 14 m. dia. bray N 6 E 23 lks. dist. of
a Beech 8 " " " S 19 W 7 " "
Over good farming land, timber Beech, Sugar
Ash &c. under Spruce &c.

West On S. boundary of Sec. 35
31.50 a Beech 20 m. dia.
40.00 Let gr. Sec. post, from which
a Beech 12 m. dia. bray N 29 E 19 lks. dist. of
a do. 10 " " " S 42 W 22 " "
54.20 a W. Oak 24 " "
72.50 a Brook 10 lks. wide Course S.
80.00 Let post Cor. to Sec. 34 of 35, from which
a _____ 6 m. dia. bray S 75 E 42 lks. dist. of
a do. 20 " " " S 52 W 6 " "
Land timber &c. same as on the last mile

West On S. boundary of Sec. 34
26.30 an Ash 12 m. dia.
40.00 Let gr. Sec. post, from which
a Beech 12 m. dia. bray S 73 E. 25 lks. dist. of
a Sugar 10 " " " N 76 W 22 " "
44.36 a Beech 20 " "
80.00 Let post Cor. to Sec. 33 of 34, from which
a Beech 20 m. dia. bray S 82 E 15 lks. dist. of
a do. 9 " " " S 88 W 15 " "
Over level land, timber Beech, Sugar, Poplar,
&c. under Spruce

320 West N.W. E. 2^d Mer. Indiana

Ch. Lk.

Nest On S. boundary of Sec. 33

20.30 an Oak 20 in. dia.

40.00 Set of Sec. post, from which
a Beech 8 in. dia. bray S 64 E 2 lks. dist. of
a — 9 " " " S 66 W 32 " "

52.15 a Sugar 36 "

80.00 Set post Cor. to Sec. 32 & 33, from which
an Elm 12 in. dia. bray S 29 E 15 lks. dist. of
a Buckeye " " " N 57 W 15 " "
Over level with rapid timber, Elm, Beech,
Hickory &c. July 18th 1819

Nest On S. boundary of Sec. 32

18.50 a Creek 50 lks. wide Course S.

40.00 Set of Sec. post, from which
a Beech 20 in. dia. bray N 62 E 44 lks. dist. of
a Do. 10 " " " S 11 W 4 " "

50.26 a Beech 14 " "

57.74 a Creek 40 lks. wide Course North.

80.00 Set post Cor. to Sec. 31 & 32, from which
a Sugar 14 in. dia. bray East 21 lks. dist. of
a Do. 10 " " " S 54 W 43 " "
Over good farming land, timber Beech, ash,
Sugar, &c. Under the Spruce &c.

Nest On S. boundary of Sec. 31

23.40 an Ash 40 in. dia.

40.00 Set of Sec. post, from which
a Beech 15 in. dia. bray S 37 E 36 lks. dist. of
a Do. 9 " " " West 25 " "

70.50 a Beech 14 "

73.17 Intersected the Township Corner
Land timber &c. same as on last mile

East Boundary var 7th 00' E.
North On E. boundary of Sec. 36.

W. N. W. E. D. Mer. Indiana

321

Ch. 1/4

25.40 an Oak 13 mi. dist.

40.00 Let off Sec. post, from which
a Buckeye 8 mi. dist. by N 75 E 18 lks. dist. of
a Hornbeam 10 " " " N 78 W 33 " "

53.00 an Oak 22 " "

80.00 Let post Cor. to Sec. 25 of 36, from which
a Beech 20 mi. dist. by N 58 W 5 lks. dist. of
a Sugar 24 " " " N 35 E 28 " "
Over rich level land, timber Ash, Beech,
Sugar &c. underg. ²/₃ Limestone

North On E. boundary of Sec. 25

16.50 at Brook 12 lks. wide Corner N.

24.22 a Lyncamore 40 mi. dist.

40.00 Let off Sec. post from which
a Sugar 18 mi. dist. by N 9 W 58 lks. dist. of
a Beech 24 " " " N 27 W 17 " "

56.22 a Sugar 18 " "

80.00 Let post Cor. to Sec. 24 of 25, from which
a ——— 16 mi. dist. by N 80 E 36 lks. dist. of
an Elm 7 " " " N 82 W 15 " "
Over good farming land timber as before

North On E. boundary of Sec. 24

28.83 a Beech 20 mi. dist.

40.00 Let off Sec. post, from which
a Beech 10 mi. dist. by N 39 E 27 lks. dist. of
a Do. 13 " " " N 45 E 28 " "

62.92 a Sugar 14 " "

80.00 Let post Cor. to Sec. 13 of 24, from which
an Oak 38 mi. dist. by N 27 E 9 lks. dist. of
a Beech 16 " " " N 43 E 14 " "
Land timber &c. same as on last mile

North On E. boundary of Sec. 13

21.50 a Hickory 18 mi. dist.

322

West R10 E. 2^d Mer. Indiana

ch. 1th

40.00 Set of Sec. post, from which
a Sugar 12 mi. dist. bearing S 5 E 13th dist. of
a Co. 10 " " " N 11 E 20 " "

73.62 a Beech 18 " "

80.00 Set post Cor. to Secs. 12 & 13, from which
a Beech 12 mi. dist. bearing S 27 E 20th dist. of
a Sugar 12 " " " N 6 E 13 " "
Overrolling land, timber as before

North On E. boundary of Sec. 12

20.74 a Creek 50th (wide Course S. W.

35.58 a Sugar 12 mi. dist.

40.00 Set of Sec. post, from which
a Sugar 8 mi. dist. bearing S 36 E 19th dist. of
a Cherry 20 " " " N 22 W 20 " "

60.59 a Sugar 13 " "

80.00 Set post Cor. to Secs. 1 & 12, from which
a Beech 13 mi. dist. bearing S 6 W 49th dist. of
a Co. 14 " " " N 3 E 28 " "
Overgood farming land, timber Beech, Sugar
Alder &c. under Spruce

North On E. boundary of Sec. 1

40.00 Set of Sec. post, from which
a Hickory 13 mi. dist. bearing S 21 E 30th dist. of
a Beech 16 " " " N 26 W 48 " "
a Beech 30 " "

69.85 Intersected the line of Correction 21 chain N.
of Cor. to Secs. 35 & 36, T1 N. R10 E, Set post at
intersection Cor. to Township 16 N. Range 10
and 11 East, from which
a Beech 11 mi. dist. bearing S 36 W 32th dist. of
a Sugar 10 " " " N 39 E 32 " "
Land timber &c. same as on the last mile
July 7th 1819

323
West Range W. E. 2^d Mer. Indiana
ch. lks

West Boundary var. 7° 00' E.
North On E. boundary of Sec. 36, T16N, R9E,
25.90 at Beech 18 m. dist.
40.00 Set gr. Sec. post, from which
at Beech — m. dist., bear N E 50 lks. dist. of
a Co. 12 " " " N 9 E 28 " "
46.50 at Creek 40 lks. wide Course W.
58.50 at Beech 14 m. dist.
70.10 at Brook 4 lks. wide Course W.
80.00 Set post Cor. to Sec. 25 of 36, from which
at Beech 12 m. dist., bear S 44 E 28 lks. dist. of
a Co. 14 " " " N 17 W 22 " "
Over good farming land, timber Beech, Sugar
Poplar &c. anding, Spruce &c.

North On E. boundary of Sec. 25, T16N, R9E
13.53 at Beech 18 m. dist.
17.50 at Brook 3 lks. wide Course W.
40.00 Set gr. Sec. post, from which
at Beech 7 m. dist., bear South 14 lks. dist. of
a Co. 6 " " " N 42 E 16 " "
53.10 an Ash 30 " "
80.00 Set post Cor. to Sec. 24 of 25, from which
at Beech 22 m. dist., bear S 25 W 25 lks. dist. of
a Co. 10 " " " N 35 E 12 " "
Land timber &c. same as on last mile

North On E. boundary of Sec. 24, T16N, R9E
32.85 at Beech 20 m. dist.
40.00 Set gr. Sec. post, from which
at Sugar 8 m. dist., bear S 27 E 7 lks. dist. of
at Beech 22 " " " N 6 E 9 " "
80.00 Set post Cor. to Sec. 13 of 24, from which
at Beech 10 m. dist., bear S 31 E 22 lks. dist. of
a Co. 11 " " " N 40 W 13 " "
Land &c. same as on last mile. July 20. 1819

Tlot No E. 2^d Mer. Indiana

ch. 1/4

North On E. boundary of Sec. 13, Tlot No E.

25.50 a Brook 4 lks. wide Course W.

33.97 at Beech 16 in. dia.

39.74 a Brook 4 lks. wide Course W.

40.00 Set of Sec. post, from which

a Beech 20 in. dia. Bray N 77 E 8 lks. dist. of
a Hornbeam — " " " N 62 E 49 " "

53.85 an Ash 18 " "

60.00 a Brook 3 lks. wide Course W.

80.00 Set post Cor. to Sec. 12 of 13, from which

a Sugar 18 in. dia. Bray N 18 W 27 lks. dist. of

at Beech 12 " " " N 69 W 5 " "

Over rolling land timber Ash, Beech &c.

North On E. boundary of Sec. 12, Tlot No E.

2.70 a Brook 3 lks. wide Course W.

40.00 Set of Sec. post, from which

a Beech 12 in. dia. Bray N 44 E 9 lks. dist. of

a Do. 8 " " " N 24 W 15 " "

52.88 a Sugar 20 " "

68.00 a Creek 100 lks. wide Course S. W.

80.00 Set post Cor. to Sec. 11 of 12 from which

a Beech 13 in. dia. Bray N 47 W 27 lks. dist. of

a Do. 14 " " " N 75 E 16 " "

Land timber &c. same as on last mile

North On E. boundary of Sec. 1, Tlot No E.

5.00 Elm 40 in. dia.

40.00 Set of Sec. post, from which

a Beech 20 in. dia. Bray N 71 W 16 lks. dist. of

an Ash 12 " " " N 9 E 6 " "

43.00 a Creek 50 lks. wide Course S. E.

64.10 a Brook 4 " " " S. W.

69.30 Intersected the line of Correction 17 ch. 84 lks. W.
of Cor. to Sec. 35 of 36 Tlot No E. Set post at the
intersection, Cor. to Township 16 North, of

West N.W.E. 2^d Mer. Indiana ch 2th

325

Range 9 of 10 East, from which
at Beech 12 mi. dist; bearing N 57 W 14 lks. dist. of
a Do. 7 " " " N 46 E 5 " "
(Description of Land &c. Omitted)
Surveyed in 1879 by
John M. McDonald,
Deputy Surveyor

Comp

Subdivision. var. 6° 30' E
North Between Secs. 35 & 36, N.W.E.
19.37 a Cherry 26 mi. dist.
40.00 at q^r. Sec. post, from which
at Beech 16 mi. dist; bearing N 43 E 14 lks. dist. of
an Elm 6 " " " S 82 E 16 " "
60.63 a Beech 25 " "
80.00 at post cor. to Secs. 25, 26, 35 & 36, from which
at Beech 12 mi. dist; bearing N 33 E 10 lks. dist. of
a Do. 14 " " " S 32 W 29 " "
Land level 2^d rate, timber Gray, White Oak,
Sugar, Beech, Bur Oak, Elm &c. and 2^d Spruce, Ash &c.

East Out Land^m. between Secs. 25 & 36
40.00 at temp^y. q^r. Sec. post
50.50 a stream 55 lks. wide Cr. S.S.W.
81.55 intersected E. boundary 85 lks. N. of post.
Part level & part broken 2^d rate land, timber
Beech, Ash, Elm, Sugar, Buckeye &c. and 2^d Spruce,
Ash, Hornbeam &c.

West Connected between Secs. 25 & 26
20.42 an Elm 22 mi. dist.
40.77 at q^r. Sec. post, at average dist, from which
at Beech 7 mi. dist; bearing N 34 W 12 lks. dist. of
a Beech 8 " " " S 24 E 21 " "
63.55 at Beech 16 " "
81.55 to Sec. Corner

326 *West N.W. 2^d Mer. Indiana*

Ch. 1st
North Between Secs. 25 & 26

19.92 at Beech 22 mi. dist.

40.00 at q^r. Sec. post, from which
at Beech 15 mi. dist. by N 38° W 27 mi. dist. of
a Sugar 13 " " " S 79° E 7 " "

62.83 at Beech 24 " "

80.00 at post on to Secs. 23, 24, 25 & 26 from which
at Beech 26 mi. dist. by S 79° W 25 mi. dist. of
a do. 25 " " " N 64° E 25 " "
Land level 2^d rate timber Beech, Ash, Elm,
large Bur Oak, Sugar, Hickory &c. undergth,
Spruce, Ash, Hornbeam &c

East On Land^m. between Secs. 24 & 25

40.00 at temp^y. q^r. Sec. post

58.00 a stream 50 mi. wide at S.S.W.

81.96 intersected E. boundary 19 mi. N. of post
Land west of flat rock 2^d rate on the
East of do. 1st rate, timber Blue & Gray Ash,
Sugar, Elm, Walnut, Beech, &c. undergth,
Spruce, Hazel, Hornbeam, Ironwood &c.

West Cornetted between Secs. 24 & 25

22.34 a Hornbeam 14 mi. dist.

40.98 at q^r. Sec. post at average dist. from which
at Sugar 14 mi. dist. by N 22° W 6 mi. dist. of
an Elm 20 " " " S 11° E 13 " "

60.41 a Sugar 17 " "

81.96 to Sec. Corner.

North Between Secs. 23 & 24.

18.51 a Beech 18 mi. dist.

40.00 at q^r. Sec. post, from which
a Sugar 10 mi. dist. by N 60° W 11 mi. dist. of
a do. 5 " " " S 21° E 12 " "

56.86 at Beech 24 " "

West N.W. E. 2^d Mer. Indiana 327

ch. 1st by

80.00 At post cor. to Secs. 13, 14, 23 & 24, from which
at Beech 16 mi. dist., bear S 57° W 15 lbs. dist. of
a Coffeemut 4 " " " N 47° E 13 " "
Level rich 2^d rate land, timber Blue & Gray Ash,
Beech, Sugar, Elm, Buckeye, Walnut &c. and g.
Spruce, Pawpaw, Hornwood &c.

East On Randm. between Secs. 13 & 24

19.70 a Beautiful large Spring branch C. S. E. N. E.

40.00 At temp. g. Sec. post

60.00 a stream 51 lbs. wide C. S. S. W.

81.86 Intersected E. boundary 54 lbs. S. of post
Part level & part broken 2^d rate land, timber
Beech, Ash, Elm, Bur Oak, Walnut, Sugar
&c. and g. Spruce &c. June 22nd 1820

West Corrected between Secs. 13 & 24

27.24 a Run Oak 60 mi. dist.

40.93 At g. Sec. post, at average dist. from which
at Beech 14 mi. dist., bear S 5° E 18 lbs. dist. of
a Do. 28 " " " N 31° W 28 " "

59.96 a Beech 22 " "

81.86 to Sec. Corner

North Between Secs. 13 & 14

23.36 a Beech 20 mi. dist.

24.50 a Spring branch Corner E.

40.00 At g. Sec. post, from which
an Elm 16 mi. dist., bear N 71° E 21 lbs. dist. of
a Beech 11 " " " S 84° W 18 " "

61.12 a Do. 23 " "

81.00 At post Cor. to Secs. 11, 12, 13 & 14, from which
a Maple 22 mi. dist., bear N 55° W 21 lbs. dist. of
a Beech 12 " " " N 80° E 38 " "
Land level 2^d rate, timber Beech, Blue & Gray Ash
Elm, Maple, Sugar &c. and g. Spruce, Hornbeam &c.

West N.W.E. 2nd Mer. Indiana

Chilly

East On Rand^m. between Secs. 12 & 13

38.00 a Spring comes S. E. entering a swamp

40.00 Set temp^y. of Sec. post

43.10 a stream 50 yds. wide C. S. E.

62.25 Cut a S. bend off same stream off at 100 yds. S.

64.25 reduced offset and fell into line

81.68 Intersected the E. boundary 88 yds. S. of post

Part level & part broken 2nd rate land, timber
 Beech, Sugar, Elm, W. Oak, Hickory, Ash
 Buckeye &c. under 1st. Spruce, Ash &c.

West Corrected between Secs. 12 & 13

21.28 a Hickory 26 m. dist.

40.84 Set of Sec. post at average dist. from which
 a Hornbeam 8 m. dist. bears N 77° 14' W 14 yds. dist. of
 a Do. 10 " " " S 72° E 16 " "

65.46 a Grey Ash 17 " "

81.68 to Section Corner

North Between Secs. 11 & 12

24.22 a Gray Ash 24 m. dist.

40.00 Set of Sec. post, from which
 an Elm 18 m. dist. bears S 68° 12' W 20 yds. dist. of
 a B. Ash 20 " " " S 51° E 41 " "

68.72 a Beech 19 " "

80.00 Set post Cor. to Secs. 1, 2, 11 & 12 from which
 a Maple 14 m. dist. bears N 38° E 18 yds. dist. of
 a Br. Oak 30 " " " N 77° W 12 " "
 Level 2nd rate land, timber B. & Gray Ash, Beech
 Sugar, Elm, Maple, Br. Oak &c. under 1st.
 Spruce, Ash, Ironw. Hornbeam &c.

East On Rand^m. between Secs. 11 & 1240.00 Set temp^y. of Sec. post,

81.98 Intersected E. boundary 100 yds. S. of post
 Level 2nd rate land, timber Beech, Ash,

West N.E. 2^d Mer. Indiana 329
Ch. 1st

Poplar, Sugar, Hickory, Elm, Red Oak &c. and g.th
Spruce, Ash, Cherry, Buckeye, Prickly Ash &c.

West Connected between Secs. 1 & 2

24.02 an Elm 24 mi. dist.

40.99 at g.th Sec. post at average dist. from which
a Sugar 5 mi. dist. bearing N 47° W 29 lns. dist. of
at Sec 20 " " " N 60 E 25 " "

64.83 a Sugar 18 " "

81.98 to Sec. Corner

North Between Secs. 1 & 2

20.08 at Sec 23 mi. dist.

40.00 at g.th Sec. post, from which
at Sec 17 mi. dist. bearing S 66 E 28 lns. dist. of
a Sugar 13 " " " N 87 W 15 " "

55.32 at Sec 22 " "

74.28 intersected the N. boundary or Correction
line at post at intersection Cor. to Sec. 1 & 2 from which
a Hornbeam 4 mi. dist. bearing S 52 E 3 lns. dist. of
a Poplar 4 " " " S 88 W 15 " "
Land level 2^d rate, timber, Beech, Ash, Elm
Red Oak, Hickory, Lyrn, Buckeye, Sugar
&c. and g.th Spruce & Camphor. June 23, 1820

North Between Secs. 34 & 35

19.92 a Sugar 15 mi. dist.

40.00 at g.th Sec. post, from which
at Sec 12 mi. dist. bearing S 57 E 18 lns. dist. of
a Sugar 16 " " " N 23 W 29 " "

62.24 at Sec 31 " "

80.00 at post Cor. to Secs. 26, 27, 34 & 35, from which
a Hornbeam 7 mi. dist. bearing S 79 W 13 lns. dist. of
a Hickory 5 " " " N 43 E 31 " "
Land level rich 2^d rate, Yellow & Gray Ash, Beech,
Sugar, Elm, Walnut, Buckeye &c. and g.th Spruce &c.

330

West NWE. 2^d. Mer. IndianaCh. 1st 1/2East On Rand^m. between Secs. 26 & 3540.00 At temp^y. of Sec. post80.45 intersected the N & S. line 15 1/2 hrs. N. of post
Land level 2nd rate, timber Beech, Ash, Elm,
Anger, Sycamore, undug^g. Spruce, Spruce, &c.

West Connected between Secs. 26 & 35

21.27 a Beech 20 mi. dist.

40.22 At of Sec. post, at avg^d. dist. from which
a Beech 24 mi. dist. bearing S 13^o W 30 hrs. dist. of
a Buckeye 12 " " " N 5^o W 28 " "

59.75 a Bur Oak 30 " "

80.45 to Sec. Corner

North Between Secs. 26 & 27

17.94 a Bur Oak 34 mi. dist.

40.00 At of Sec. post, from which
a Beech 18 mi. dist. bearing N 58^o E 10 hrs. dist. of
a Do. 22 " " " S 57^o W 16 " "

61.36 a Beech 32 " "

80.00 At post cor. to Secs. 22, 23, 26 & 27, from which
a Beech 22 mi. dist. bearing N 80^o W 4 hrs. dist. of
a Do. 15 " " " S 67^o E 14 " "
Land timber &c. same as on the last mileEast On Rand^m. between Secs. 23 & 2640.00 At temp^y. of Sec. post80.27 intersected the N & S. line 27 hrs. N. of post
Land timber &c. same as on last mile

West Connected between Secs. 23 & 26

18.95 a Hickory 20 mi. dist.

28.66 a Beech 30 " "

40.13 At of Sec. post at average dist. from which
a Beech 4 mi. dist. bearing S 75^o W 10 hrs. dist. of
a Hombam^y " " " N 38^o E 13 " "

331

West N W E. 2^d Mer. Indiana
Ch. Lk.
63.50 a Beech 22 mi. dist.
80.27 to Sec. Corner

North Between Secs. 22 & 23
23.78 a Beech 23 mi. dist.
40.00 At gr. Sec. post, from which
a Beech 22 mi. dist. by N 63° 14' E 14 lks. dist. of
a do. 10 " " " N 70° E 8 " "
60.00 a Beech 20 " "
80.00 At post Cor. to Secs. 14, 15, 22 & 23, from which
a Beech 36 mi. dist. by N 14° E 14 lks. dist. of
a do. 12 " " " N 77° 11' 27 " "
Land level 2^d rate, timber Beech, Ash, Sugar,
elm, Hickory, Lym &c. and gr. Spruce, Ash,
Buckeye, Sugar &c.

East On Road between Secs. 14 & 23
40.00 At temp. gr. Sec. post
80.32 Intersected the N & S. line 9 lks. North of post
Land timber &c. same as on last mile

West Corrected between Secs. 14 & 23
25.16 a Beech 22 mi. dist. by
40.16 At gr. Sec. post at average dist. from which
a Beech 4 mi. dist. by N 54° 11' 17 lks. dist. of
a do. 20 " " " N 63° E 13 " "
58.64 a Beech 20 " "
80.32 to Section Corner.

North Between Secs. 14 & 15
18.73 a Beech 18 mi. dist.
34.00 a Fen or Marsh 100 lks. wide from N E & S. W.
40.00 At gr. Sec. post, from which
a Beech 26 mi. dist. by N 83° 11' 13 lks. dist. of
a Hickory 6 " " " N 69° E 25 " "
66.27 a Beech 28 " "

332

West N 10 E 2nd Mer. Indianach. 1st

80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which
 a Beech 7 mi. dist. bearing N 25° W 60 yds. dist. of
 a Poplar 54 " " " S 54° E 14 " "
 Land timber &c. Same as on last mile

East On Rand. between Sec. 11 & 14

15.00 a March 100 yds. wide at right angles

40.00 Set temp. q. Sec. post

69.50 Cut the S. Margin of a Small Pond

72.00 Cut the N. edge of a Small Pond

80.14 Intersected the N. of S. line 8 yds. N. of post
 Land timber &c. Same as on last mile

West Corrected between Sec. 11 & 14

17.20 a Beech 30 mi. dist.

35.14 a Do. 24 " "

40.07 Set q. Sec. post at average dist. from which
 a Beech 18 mi. dist. bearing S 39° W 11 yds. dist. of
 a Do. 4 " " " N 2° E 15 " "

62.76 a Beech 24 " "

80.14 to Sec. Corner.

North Between Sec. 10 & 11

22.62 a Beech 17 mi. dist.

40.00 Set q. Sec. post, from which

a Buckeye 10 mi. dist. bearing S 88° E 16 yds. dist. of

a Beech 7 " " " S 78° W 12 " "

59.70 a Do. 23 " "

80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which

an Elm 24 mi. dist. bearing S 54° E 20 yds. dist. of

a Br. Oak 54 " " " S 63° W 27 " "

Land timber &c. Same as on last mile

East On Rand. between Sec. 2 & 11

40.00 Set temp. q. Sec. post

80.20 Intersected the N. of S. line 18 yds. N. of post

333

W. N. S. W. E. 2^d Mer. Indiana
ch. 6th Sand timber &c. same as on the last mile

West Correlated between Secs. 2 & 11

19.38 a Beech 15 mi. dist.

40.10 Set of Sec. post at average dist. from which
a Sugar 5 mi. dist. from N 66 W 7th Mer. dist. of
a Do. 16 " " " N 6 E 34 " "

59.32 a Sugar 18 " "

80.20 to Sec. Corner.

North Between Secs. 2 & 3

23.72 a Beech 18 mi. dist.

40.00 Set of Sec. post, from which
a Hornbeam 4 mi. dist. from S 89 W 6th Mer. dist. of
a Q. Ash 24 " " " N 76 E 23 " "

62.38 a Gray Ash 28 " "

74.38 intersected N. boundary, set post at intersection
Co. to Secs. 2 & 3, from which
a Sugar 18 mi. dist. from N 82 E 13th Mer. dist. of
a Beech 30 " " " S 74 W 21 " "
Land level 2^d rate timber &c. same as last mile.

North Between Secs. 33 & 34

25.56 a Gray Ash 22 mi. dist.

40.00 Set of Sec. post, from which
a Hickory 17 mi. dist. from N 32 W 16th Mer. dist. of
a Beech 18 " " " S 48 E 23 " "

55.91 a Do. 28 " "

80.00 Set post Co. to Secs. 27, 28, 33 & 34, from which
an Ironwood 9 mi. dist. from N 19 E 25th Mer. dist. of
a Beech 18 " " " S 55 W 14 " "
Land level 2^d rate, timber Beech, Ash, Poplar
Hickory, Elm, large W. Oak &c. under 2^d Spruce
Ash, Hornbeam, Ironwood &c.

East End Land 8^m. between Secs. 27 & 34

334 N.W. 1/4 Sec. 27, Mer. Indiana

at 2.44

21.50 enter a Pond

23.50 leave the Pond

26.00 enter a prairie

40.00 set temp. g. Sec. post in prairie

46.00 leave the prairie

80.84 intersected the N of S. line 45 th. N. of post
Land timber &c. same as on last mile

West Connected between Secs. 27 & 34

21.30 an Elm 22 in. dia.

40.42 set g. Sec. post at average dist. from which
no bearing could be taken being in prairie
raised a mound

60.98 a Beech 15 in. dia.

80.84 to Sec. Cor.

North Between Secs. 27 & 28

17.78 a Saw Oak 17 in. dia.

40.00 set g. Sec. post, from which
a Beech 10 in. dia. bearing N 67° 15' E 15 th. dist. of
a Do. 12 " " " N 18° E 12 " "

61.00 the channel of a stream 20 th. wide Cr. S. W.

80.00 set post Cor. to Secs. 21, 22, 27, 28, from which
a Beech 12 in. dia. bearing N 24° E 13 th. dist. of
a Do. 24 " " " S 57° W 31 " "

Land timber &c. same as on the last mile

East On Rand. between Secs. 22 & 27

12.00 a stream 20 th. wide Cr. S. W.

40.00 set temp. g. Sec. post

80.88 intersected the N of S. line 58 th. N. of post
Land timber &c. same as on last mile

West Connected between Secs. 22 & 27

16.21 a Beech 17 in. dia.

40.44 set g. Sec. post at average dist. from which

West N.W.E. 2^d Mer. Indiana 335
ch. lth

a Beech 10 in. dist. bearing S 65° W 16 lth. dist. of
a Box Elder 3 " " " N 45° E 12 " "
59.36 a W. Oak 14 " "
80.88 to Sec. Corner.

North Between Secs. 21 & 22

24.37 a Beech 19 in. dist.
40.00 Set of Sec. post, from which
a Beech 15 in. dist. bearing S 50° W 21 lth. dist. of
a Do. 22 " " " S 39° E 7 " "
61.28 a Beech 22 " "
80.00 Set post Cor. to Secs. 15, 16, 21 & 22, from which
a S. Ash 16 in. dist. bearing S 21° W 20 lth. dist. of
a Beech 18 " " " S 32° E 5 " "
Sand timber &c. Same as on last mile

East On Land, between Secs. 15 & 22

22.50 a Marsh 50 lth. wide Cor. S.S.W.
40.00 Set temp. of Sec. post
71.00 a Channel of a stream 15 lth. wide Cor. S.W.
80.96 Intersected the N & S. line 54 lth. N. of post
Sand timber &c. Same as on last mile
June 25th 1820

West Corrected between Secs. 15 & 22

18.46 a Hickory 26 in. dist.
40.48 Set of Sec. post at average dist. from which
a Beech 8 in. dist. bearing N 64° W 7 lth. dist. of
a Dogw. 4 " " " S 27° E 19 " "
58.83 a W. Oak 24 " "
80.96 to Sec. Corner

North Between Secs. 15 & 16

19.23 a Sugar 15 in. dist.
40.00 Set of Sec. post, from which
a Beech 8 in. dist. bearing N 34° W 20 lth. dist. of

336

W. N. R. N. E. 2^d Mer. Indiana
Ch. 1st

an Elm 7 in. dia. bray S 57 E 5th dist. of
67.25 a Poplar 20 "
80.00 At post cor. to Sec. 9, 10, 15 & 16, from which
a Gray Ash 14 in. dia. bray N 52 W 15th dist. of
a Maple 20 " " " S 69 E 7 " "
Land timber &c. same as on the last mile

East On Road between Sec. 10 & 15

0.50 into a Small Pond
2.75 leave the pond
40.00 At temp. of Sec. post
61.00 Cut the S. margin of a Small pond
81.02 Intersected the N. & S. line 40th br. of post
Land timber &c. same as on the last mile

West Corrected between Sec. 10 & 15

24.57 at Beech 16 in. dia.
40.31 At gr. Sec. post at average dist. from which
a Beech 20 in. dia. bray N 71 W 19th dist. of
a Do. 10 " " " S 4 E 9 " "
59.90 a Beech 18 " "
81.02 to Sec. Corner

North Between Sec. 9 & 10

3.00 enter a Maple Swamp
12.50 leave the Maple Swamp
20.59 at Beech 18 in. dia.
40.00 At gr. Sec. post, from which
an Elm 14 in. dia. bray N 18 E 26th dist. of
an Ash 4 " " " S 46 W 14 " "
57.92 a Beech 16 " "
80.00 At post cor. to Sec. 3, 4, 9 & 10, from which
a Beech 16 in. dia. bray S 83 W 8th dist. of
a Do. 20 " " " S 63 E 21 " "
Land timber &c. same as on last mile

West N.W. 2nd Sec. Indiana 337

ch. lky

East Outland m. between Sec. 3 & 10

40.00 Set temp. of Sec. post

81.00 Intersected the N. & S. line 37 lky. N. of post
Land timber &c. Same as on East mile

West Corrected between Sec. 3 & 4

22.38 at Beech 22 in. dia.

40.50 Set of Sec. post at average dist. from which
a Beech 20 in. dia. bears N 46° 17' lky. dist. of
a " 18 " " " N 19° 26 " "

51.58 a Maple 20 inches diameter

81.00 to Section Corner.

North Between Sec. 3 & 4

15.60 at Beech 36 in. dia.

40.00 Set of Sec. post, from which
a Beech 10 in. dia. bears N 25° 11 lky. dist. of
a Hickory 17 " " " S 57° 49 " "

51.50 a Channel of Brook 8 lky. wide corner N.W.

58.09 a Hickory 16 in. dia.

73.92 Intersected N. boundary, Set post at
intersection Cor. to Sec. 3 & 4, from which
a Sugar 17 in. dia. bears S 22° 10 lky. dist. of
a Beech 7 " " " S 75° 14 " "

Part level & part broken 2nd rate land, timber
Beech, Sugar, Ash, W. Oak, Poplar, Hickory
&c. under 1st Spruce, Ironwood, Dogwood &c.
June 28th 1820

North Between Sec. 32 & 33

15.60 at Beech 36 in. dia.

40.00 Set of Sec. post, from which
a Buckeye 3 in. dia. bears N 44° 11 lky. dist. of
a Beech 20 " " " N 64° 25 " "

64.00 a Do. 18 " "

81.00 Set post Cor. to Sec. 28, 29, 32 & 33, from which

West R10 E. 2nd Mer. Indiana 339
ch. by

80.00 Let post Cor. to Sec. 20, 21, 28 & 29, from which
a Beech 3 in. dia. bay N 34 E 7 lks. dist. of
a Do. 10 " " " S 52 W 21 " "
Sand timber &c. same as on last mile

East On Land^m. between Sec. 21 & 28
27.50 The Channel of a branch 10 lks. wide Ch. S.
40.00 Let temp. of Sec. post
81.37 intersected the N of S. line 48 lks. N. of post
Sand timber &c. same as on the last mile

West Corrected between Sec. 21 & 28
21.24 a W. Oak 24 in. dia.
40.68 Let of Sec. post at average dist. from which
an Elm 27 in. dia. bay N 75 W 9 lks. dist. of
a Br. Oak 16 " " " N 46 E 13 " "
60.00 a Beech 15 " "
81.37 to Sec. Cor.

North Between Sec. 20 & 21
23.38 a Beech 15 in. dia.
40.00 Let of Sec. post, from which
a Sugar 22 in. dia. bay N 74 E 9 lks. dist. of
a Beech 23 " " " S 58 W 54 " "
63.07 a Buckeye 18 " "
80.00 Let post Cor. to Sec. 16, 17, 20 & 21, from which
a Sugar 14 in. dia. bay N 66 E 20 lks. dist. of
a Do. 15 " " " N 68 W 20 " "
Sand timber &c. same as on the last mile

East On Land^m. between Sec. 16 & 21
40.00 Let temp. of Sec. post
81.08 intersected the N of S. line 53 lks. N. of post
Sand timber &c. same as on last mile
Same 29th 1820

340 West N.W.E. 2nd Mer. Indiana

Chth
West Corrected between Secs. 16 & 21

24.97 a Beech 24 m. dist.

40.54 Set of Sec. post at average dist. from which
at Beech 18 m. dist. (bray S 6 E 26 lks. dist. of
an Ironw. 4 " " " S 5 E 12 " "

54.60 a Gray Ash 16 m. dist.

81.08 to Sec. Corner.

North Between Secs. 16 & 17

17.25 a Brook 8 lks wide Cr. S. W.

20.46 a Beech 24 m. dist.

40.00 Set of Sec. post, from which
an Ash 36 m. dist. (bray N 28 E 26 lks. dist. of
at Beech 6 " " " S 38 W 26 " "

58.38 a Do. 20 " "

80.00 At post Cor. to Secs. 8, 9, 16 & 17, from which
an Ironwood 4 m. dist. (bray N 7 W 7 lks. dist. of
a Hickory 24 " " " S 85 E 28 " "

Sand timber &c. same as on the last mile

East On Rand. between Secs. 9 & 16

40.00 Set temp. of Sec. post

49.00 enter swampy land

63.50 leave swampy land

80.96 Intersected the N of S. line 47 lks. N. of post
Sand timber &c. same as on the last mile

West Corrected between Secs. 9 & 16

21.47 a Gray Ash 18 m. dist.

40.48 Set of Sec. post at average dist. from which
an Elm 36 m. dist. (bray N 32 E 18 lks. dist. of
a Gray Ash 18 " " " S 5 W 15 " "

58.45 a Beech 16 " "

80.96 to Sec. Corner.

North Between Secs. 8 & 9

N. N. N. E. D. Miller. Indiana 341

Ch. 1/2

- 17.56 a Spring branch 4 lks, wide Cr. W. N. W.
 24.68 a Sugar 6 in. dia.
 39.15 a Spring branch 6 lks, wide Cr. West
 40.00 at gr. Sec. post, from which
 a Buckeye 4 in. dia. branch N 60 E 12 lks. dist. g
 a Sugar 4 " " " N 74 W 6 " "
 59.71 a do. 16 " "
 80.00 at post Cor. to Sec. 4, 5, 8 & 9, from which
 a Sugar 5 in. dia. branch N 80 E 9 lks. dist. g
 a Beech 10 " " " S 73 W 3 " "
 Part level of part broken S. rate land, timber
 Beech, Sugar, ash, W. Oak, Poplar, Hickory
 &c. under, Spruce &c.

East On Randm. between Sec. 4 & 9

- 8.50 a Brook 6 lks, wide Cr. W. N. W.
 40.00 at temp. gr. Sec. post
 48.85 a stream 10 lks, wide Cr. W. N. W.
 81.08 intersected the N & S line 46 lks. N. of post
 Sand timber &c. same as on the last mile

West Corrected between Sec. 4 & 9

- 20.15 a Beech 14 in. dia.
 40.54 at gr. Sec. post at average dist. from which
 a Beech 13 in. dia. branch N 66 W 25 lks. dist. g
 a do. 15 " " " S 11 E 25 " "
 64.97 a Hickory 22 " "
 81.08 to Sec. Corner.

North Between Sec. 4 & 5

- 1.50 a Brook 10 lks, wide Cr. W. S. W.
 21.62 a Beech 16 in. dia.
 30.32 a Spring branch 10 lks, wide Cr. W. N. W.
 40.00 at gr. Sec. post, from which
 a Beech 5 in. dia. branch N 4 W 7 lks. dist. g
 an Elm 20 " " " N 82 E 21 " "

342

N.W. R10 E. 2^d Mer. IndianaCh. 1st M.

53.54 a Beech 22 m. dist.

73.56 intersected N. boundary, set post at the
intersection Cor. to Sec. 4 & 5, from which
a Beech 10 m. dist. bearing S 65° N 23 lks. dist. of
a Anger 13 " " " S 26° E 30 " "
First 1/2 mile Broken 2^d rate - 2^d half level
1st gate land, timber Beech, Ash, W. Oak, Poplar
Anger, Elm, Hickory, Buckeye, Walnut &c.
underlying Spruce, Dropwood, Dogwood &c.
June 30th 1870

North Between Sec. 31 & 32

15.00 a Stream 30 lks. wide Cr. N. N. W.

23.65 a Beech 24 m. dist.

40.00 set q^r. Sec. post, from which

a Beech 18 m. dist. bearing N 10° E 16 lks. dist. of

a Do. 20 " " " S 39° W 39 " "

64.37 an Ash 28 " "

80.00 set post Cor. to Sec. 29, 29, 31 & 32, from which

a Bur Oak 20 m. dist. bearing N 33° E 6 lks. dist. of

an Elm 17 " " " S 63° W 25 " "

Land part level & part rolling 2^d rate, timber
Ash, Beech, Elm, Anger, Large W. Oak & Poplar
underlying Spruce, Dropwood, Hornbeam &c.

East On Range between Sec. 29 & 32

33.05 a Stream 10 lks. wide Course S.

40.00 set trippt. q^r. Sec. post

74.50 a Stream 20 lks. wide Cr. S. S. W.

80.39 intersected the N & S. line 98 lks. N. of post
Land timber &c. same as on the last mile

West Connected between Sec. 29 & 32

19.00 a Beech 15 m. dist.

40.19 set q^r. Sec. post at average dist. from which
a Beech 10 m. dist. bearing N 9° E 14 lks. dist. of

343

At N. W. C. E. 2ⁿ. Mer. Indiana
Ch. 1st 1st at Beech 18 mi. dist. bearing S 2 E 28 lbs. dist. of
80.39 to Sec. Corner.

At Between Sec. 30 & 31
22.15 at Beech 18 mi. dist.
40.00 at q. Sec. post, from which
at Beech 13 mi. dist. bearing N 28 W 17 lbs. dist. of
a G. Ash 15 " " " S 28 W 11 " "
59.37 on Elm 16 "
73.32 intersected N. boundary 95 lbs. S. of post.
at post cor. to Sec. 30 & 31, from which
at Beech 8 mi. dist. bearing S 53 E 25 lbs. dist. of
a Do 23 " " " N 78 E 31 "
Land level 2^d rate, timber Beech, Ash, Poplar
Sugar, W. Oak, Elm &c. under Spruce, Horn-
beam, Ironwood &c.

At Between Sec. 29 & 30
19.42 at Poplar 22 mi. dist.
40.00 at q. Sec. post, from which
at Dogwood 3 mi. dist. bearing N 71 E 14 lbs. dist. of
a Beech 4 " " " S 85 W 8 " "
60.08 a Do. 24 " "
80.00 at post cor. to Sec. 19, 20, 29 & 30 from which
at Maple 28 mi. dist. bearing N 26 E 13 lbs. dist. of
a Do. 24 " " " S 37 W 15 " "
Land timber &c. same as on last mile

East On Rand^m between Sec. 20 & 29
23.50 at Marsh 200 lbs. wide C. S.
40.00 at temp. q. Sec. post
79.98 intersected the N. & S. line 84 lbs. N. of post
Land timber &c. same as on last mile

At Cor. between Sec. 20 & 29
22.00 on Elm 24 mi. dist.

344 West N.E. 2^d Mer. Indiana
ch^lky

39.98 at q^r. Sec. post, at average dist. from which
at Sec 4 in dist. bray N 32 W 1/2 ch. dist. of
a loc. 32 " " " N 41 E 6 " "
60.29 a Poplar 28 " "
79.98 to Sec. Corner.

West Between Dec^r. 19 & 20

23.96 a Hickory 14 in. dia.
40.00 at q^r. Sec. post, from which
at Sec 12 in dist. bray S 30 W 8 ch. dist. of
a Sugar 14 " " " N 52 E 21 " "
57.44 a Sec 20 " "
73.70 Intersected the N & S. line on N. boundary
170 ch. S. of post, at post cor. to Dec^r. 19 & 20, from which
at Sec 14 in. dia. bray N 60 E 8 ch. dist. of
an Elm 18 " " " S 22 E 15 " "
Land timber &c. Same as on last mile
July 1st 1870

North Between Dec^r. 19 & 20

18.82 at Sec 24 in. dia.
40.00 at q^r. Sec. post, from which
at Sec 7 in. dia. bray S 22 W 9 ch. dist. of
an Ironw. 6 " " " N 77 E 15 " "
67.66 a Sugar 46 " "
80.00 at post cor. to Dec^r. 17, 18, 19 & 20, from which
a Poplar 32 in. dia. bray S 60 W 7 ch. dist. of
at Sec 12 " " " N 82 E 10 " "
Rolling rich 2^d rate land, timber large & lofty
Poplar, Sugar, Elm, Hickory, Ash, Walnut
&c. under 2^d Spruce, Hornbeam &c.

East On Rand^m. between Dec^r. 17 & 20

15.00 a Great Spring C. S. E. but is supposed to sink
in a short distance
26.50 at Branch W. ch. wide Course N. E.

345

The N. W. E. 2^d Mer. Indiana

ch. lly
 40.00 Let temp. of Sec. post.
 80.00 Intersected the N & S. line 67 lly. S. of post
 Level 2^d State land, timber Beech, Oak, Poplar
 W. Oak, Sugar, Elm / E. M. Oak &c. undy.
 Spruce, Black Haw, Hornbeam &c.

West Corrected between Dec. 17 & 20

22.38 a Sugar 18 in. dia. ~~post~~
 40.00 Let of Sec. post at average dist. from which
 a Beech 18 in. dia. bray S 64 E 15 lly. dist. of
 a do. 16 " " " S 71 W 21 " "
 57.37 a W. Oak 22 " "
 80.00 to Sec. Corner.

West Between Dec. 18 & 19

10.00 Cut the S. Margin of a Pond
 20.58 a W. Oak 36 in. dia.
 21.50 a Pond offset N. 450 lly.
 26.00 reduced offset & fell into the line
 40.00 Let of Sec. post, from which
 a Hickory 15 in. dia. bray S 20 W 18 lly. dist. of
 a Beech 20 " " " S 47 E 16 " "
 53.75 a do. 36 " "
 74.10 Intersected W. boundary 250 lly. S. of post
 Let post Cor. to Sec. 18 & 19, from which
 a Beech 34 in. dia. bray N 10 E 5 lly. dist. of
 a do. 15 " " " S 5 E 11 " "
 Land timber &c. Same as on the last mile

North Between Dec. 17 & 18

22.50 a Beech 20 in. dia.
 40.00 Let of Sec. post, from which
 a 2. Walnut 46 in. dia. bray S 53 W 42 lly. dist. of
 a do. 22 " " " S 50 E 9 " "
 51.00 a Brook 10 lly. wide Course N. W.
 62.00 a Gray Ash 36 in. dia.

West N.W. E. 2^d Mer. Indiana

ch. 1st
80.00 det post Cor. to Sect. 7, 8, 17 & 18, from which
a Beech 12 m. dist. by, S 84° W 3⁴ lks. dist. by
a Do. 5 " " " N 67° E 5 " "
Part level & part rolling 1st & 2nd rate land
timber Beech, Sugar, Poplar, Walnut, Ash
&c. underg. th Spruce, Ash &c.

East On Land^m between Sect. 8 & 17
39.50 a stream 15 lks. wide corner North
40.00 det temp. of Sec. post
80.04 intersected the S. line 92 lks. N. of post
Part level & Part broken 2nd rate timber Poplar
Beech, Sugar, Ash, Elm, Gum &c. underg. th
Spruce, Ash, Hornbeam, Ironwood &c.

West Corrected between Sect. 8 & 17
19.40 a Beech 18 m. dist.
40.02 det of Sec. post, at average dist. from which
a Beech 10 m. dist. by, S 35° W 18 lks. dist. by
a Sugar 12 " " " N 49° E 12 " "
53.95 a Do. 30 " "
80.04 to Sec. Corner.

West Between Sect. 7 & 18
17.82 a Poplar 36 m. dist.
40.00 det of Sec. post, from which
a Sugar 13 m. dist. by, S 23° E 20 lks. dist. by
a Beech 4 " " " N 33° W 2 " "
55.54 a Hickory 18 " "
74.06 intersected N. boundary 320 lks. S. of post
det post Cor. to Sect. 7 & 18, from which
a Beech 5 m. dist. by, S 26° E 8 lks. dist. by
a Hornbeam 7 " " " N 17° E 9 " "
Level 2nd rate land, timber lofty Poplar, Ash, Hickory,
Sugar, Elm &c. underg. th Spruce, Ash &c.
July 3rd 1820

347

West C.W.E. 2^d Mer. Indiana

North Between Secs. 7 & 8

23.47 a Gray Ash 13 mi. dist.

40.00 at q. Sec. post, from which

a Beech 15 mi. dist. (branch N 44 W 44 km. dist. of

a Do. 20 " " " S 36 E 5 " "

52.32 at Beech 23 " "

80.00 at post cor. to Secs. 5, 6, 7 & 8, from which

a Buckeye 7 mi. dist. (branch N 60 W 9 km. dist. of

a Gray Ash 26 " " " S 65 E 5 " "

Part level & part broken 2^d rate land, timber
Poplar, Ash, Walnut, Sugar, Elm, Buckeye &c.
undergth Spruce.

East On Land^m between Secs. 5 & 8

18.60 a stream 15 km. wide C.S. N. S. W.

40.00 at temp. of Sec. post

44.38 a Spring branch C.S. N. W.

79.00 a Brook 8 km. wide Course N. W.

79.80 same 8 " " " S. W.

80.08 intersected the N. S. line 103 km. S. of post
First 1/2 mile level 1st rate - last 1/2 mile broken
2^d rate land, timber Elm & Gray Ash, Cherry
Walnut, Buckeye, Beech, Poplar, Sugar &c.
undergth Spruce, Pinckley Ash &c.

West Corrected between Secs. 5 & 8

21.06 at Beech 10 mi. dist.

40.04 at q. Sec. post, average dist. from which

a Beech 28 mi. dist. (branch N 32 E 9 km. dist. of

a Buckeye 5 " " " S 25 W 14 " "

58.32 on Elm 18 " "

80.08 to Sec. Corner

West Between Secs. 6 & 7

19.00 a Sycamore 56 mi. dist.

35.00 a stream 85 km. wide Course N. S. W.

West N.W. C. 2^d, Mer. Indiana

Ch² 1/2

- 39.50 Cut a N. bend of the same stream
 40.00 Let gr. Sec. post 16 Ch. N. of N.W. bank of the same
 stream, from which
 a Lym 28 in. dia. bay 158° 43' Ch. dist. 5
 a Hornbeam 8 " " " N 32° 10' " "
 44.70 a Springbranch Course S.
 47.50 the Channel of a Brook 12 Ch. wide C.P.S.
 57.42 a W. Oak 15 in. dia.
 58.50 a stream 25 Ch. wide C.P.S.S.E.
 74.65 Intersected N. boundary 404 Ch. South of
 post, let post Cor. to Sec. 6 & 7, from which
 a W. Oak 18 in. dia. bay 142° 19' Ch. dist. 5
 a Beech 3 " " " N 53° E 14 " "
 Land level 2^d rate, timber Elm, Lym, Beech,
 Ash, W. Oak, Sycamore &c. mingl^d. Spruce
 Ash, Hornbeam, Ironwood &c.

North Return Sec. 5 & 6

- 13.40 a stream 85 Ch. wide Course S.S.W.
 17.73 a Hickory 18 in. dia.
 34.50 enter a New or Marsh
 40.00 Let gr. Sec. post, from which
 a Hornbeam 12 in. dia. bay 116° 21' Ch. dist. 5
 a B. Ash 8 " " " 78° E 14 " "
 42.40 leave Marsh & crossed a brook 10 Ch. wide S.W.
 48.50 enter a Marsh
 50.00 leave Marsh & crossed a bench 15 feet high
 62.95 a Beech 16 in. dia.
 71.40 an Indian Cabin in line
 72.95 Intersected N. boundary, let post at intersec-
 tion Cor. to Sec. 5 & 6, from which
 a Mulberry 18 in. dia. bay 176° 28' Ch. dist. 5
 a Sugar 18 " " " N 61° E 48 " "
 Post level & part Broken, 10th 2^d rate, timber
 &c. same as on last mile July 4th 1820
 Thomas Brown, A.S.

Certify that the foregoing transcript of field notes
of Township N. 16 North, Range N. 10 East 2^d Mer.
Indiana has been compared with the original notes
in this Office, and found to be correct.
Surveyor General's Office
Cincinnati, Nov. 8th 1842

William Johnston
Sur. Genl.